



NDL Industries

**APPLICATIONS**

Commercial, Industrial, and Residential HVAC, Refrigeration, and Plumbing

# PVC SCH40 Fittings

Our high-quality and long lasting PVC Schedule 40 Fittings are specifically designed for use in HVAC, Refrigeration and Plumbing Systems





# PVC SCH40 Fittings

## Table of Contents

Product Information .....	1
Female Adapters .....	2
Male Adapters.....	2
Reducer Bushings .....	2
Caps .....	2, 3
Couplings .....	3
45° Elbows.....	3
90° Elbows.....	3, 4
90° Street Elbows .....	4
Tees.....	5
J-Traps .....	5
P-Traps.....	5
R-Traps.....	5
Unions .....	5



Explore our full line of high-quality  
HVAC-R and plumbing products.

ndlinc.com | 1-866-635-6888 | sales@ndlinc.com

@ndlindustries





# PVC SCH40 Fittings

## Long Lasting PVC DWV Fittings with High-Quality Performance

- Designed for most industrial and residential needs
- Renowned for strength and superior enhanced performance, our pressure plastic fittings are tested under real-world "cyclic" pressure conditions
- Pressure plastic fittings offer smoother inner walls for low-pressure drops and excellent resistance to chemicals and corrosion.
- Diameters from 1-1/4" - 6"

## Certifications and Approvals

- Meets applicable ASTM Standards: D2466, D1784, and F1498
- Meets NSF/ANSI standards 14 and 61 for use with potable water

## Symbols

**S** allows the pipe to slide into the end

**SP** The end that fits inside a socket

**FIPT** Female pipe thread

**MIPT** Male pipe thread





### Female Adapters (FPT x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-435-005	1/2" Female Adapter	10	0.04	18.1
NP-435-007	3/4" Female Adapter	10	0.041	18.6
NP-435-010	1" Female Adapter	10	0.092	41.7
NP-435-015	1-1/2" Female Adapter	10	0.156	70.8
NP-435-020	2" Female Adapter	50	0.239	108.4



### Male Adapters (MPT x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-436-005	1/2" Male Adapter	10	0.029	13.2
NP-436-007	3/4" Male Adapter	10	0.04	18.1
NP-436-010	1" Male Adapter	10	0.07	31.8
NP-436-015	1-1/2" Male Adapter	10	0.141	64.0
NP-436-020	2" Male Adapter	5	0.208	94.3



### Reducer Bushings (SP x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-437-101	3/4" x 1/2" Reducer Bushing	1000	0.0243	11
NP-437-131	1" x 3/4" Reducer Bushing	600	0.0403	18.3
NP-437-211	1-1/2" x 1" Reducer Bushing	300	0.0981	44.5
NP-437-212	1-1/2" x 1-1/4" Reducer Bushing	250	0.0564	25.6



### Caps (S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-447-005	1/2" Cap	10	0.023	10.4
NP-447-007	3/4" Cap	10	0.026	11.8
NP-447-010	1" Cap	10	0.039	17.7
NP-447-015	1-1/2" Cap	50	0.105	47.6
NP-447-020	2" Cap	20	0.148	67.1
NP-447-030	3" Cap	20	0	0



### Cap (FIPT)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-448-007	3/4" Cap	10	0.038	17.2
NP-448-010	1" Cap	10	0.05	22.7



### Couplings (S x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-429-005	1/2" Coupling	10	0.027	12.2
NP-429-007	3/4" Coupling	10	0.038	17.2
NP-429-010	1" Coupling	10	0.061	27.7
NP-429-012	1-1/4" Coupling	10	0.108	49.0
NP-429-015	1-1/2" Coupling	20	0.119	54.0
NP-429-020	2" Coupling	5	0.167	75.7



### 45° Elbows (S x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-417-005	1/2" 45° Elbow	10	0.036	16.3
NP-417-007	3/4" 45° Elbow	10	0.052	23.6
NP-417-010	1" 45° Elbow	10	0.086	39.0
NP-417-012	1-1/4" 45° Elbow	10	0.123	55.8
NP-417-015	1-1/2" 45° Elbow	10	0.18	81.6
NP-417-020	2" 45° Elbow	5	0.264	119.7



### 90° Elbow (S x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-406-005	1/2" 90° Elbow	10	0.045	20.4
NP-406-007	3/4" 90° Elbow	10	0.064	29.0
NP-406-010	1" 90° Elbow	10	0.109	49.4
NP-406-012	1-1/4" 90° Elbow	15	0.168	76.2
NP-406-015	1-1/2" 90° Elbow	10	0.213	96.6
NP-406-020	2" 90° Elbow	5	0.337	152.9
NP-406-030	3" 90° Elbow	10	0.795	360.6



### 90° Elbow (S x FIPT)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-407-007	3/4" 90° Elbow	10	0.08	36.3
NP-407-010	1" 90° Elbow	10	0.159	72.1



### 90° Street Elbow (SP x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-409-005	1/2" 90° Street Elbow	600	0.049	22.2
NP-409-007	3/4" 90° Street Elbow	400	0.066	29.9
NP-409-010	1" 90° Street Elbow	200	0.12	54.4
NP-409-020	2" 90° Street Elbow	50	0.342	155.1



### 90° Street Elbow (MIPT x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-410-005	1/2" 90° Street Elbow	750	0.041	18.6
NP-410-007	3/4" 90° Street Elbow	450	0.062	28.1
NP-410-010	1" 90° Street Elbow	10	0.133	60.3
NP-410-020	2" 90° Street Elbow	50	0.312	141.5



### Plug (SP)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-449-007	3/4" Plug	10	0.031	14.1



### Plug (MPT)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-450-007	3/4" Plug MPT	10	0.034	15.4



### Tees (S x S x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-401-005	1/2" Tee	10	0.065	29.5
NP-401-007	3/4" Tee	10	0.075	34.0
NP-401-010	1" Tee	10	0.149	67.6
NP-401-012	1-1/4" Tee	5	0.219	99.3
NP-401-015	1-1/2" Tee	5	0.108	49.0
NP-401-020	2" Tee	5	0.427	193.7



### J-Trap

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-PVC34JTRAP	3/4" J-Trap	10	0.208	94.3



### P-Trap

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-PVC34PTRAP	3/4" P-Trap	5	0.267	121.1



### R-Trap

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-PVC34RTRAP	3/4" R-Trap	10	0.255	115.7



### Union (S x S)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
NP-457-007	3/4" Union	10	0.153	69.4





## FAST ORDER TURNAROUND

Our Operations Center is strategically located in the Memphis, Tennessee metro area to streamline delivery and bolster the customer service that NDL is known for throughout the industry.



## We Focus on Quality and Service So You Can Install with Confidence.

Since 1998, it has been our mission to stay ahead of the curve as an industry leader in the HVAC, Refrigeration, and Plumbing markets. We have achieved this over the years by placing a heavy emphasis on quality, innovation, and maintaining a global team of experienced professionals to deliver top-notch service. We continue to hold ourselves to the highest standards, never sacrificing our commitment to our customers or our product that has what made us the company we are today.

*What you can expect from us:*

- Fast order turnaround
- Real-time order communications
- Field-experienced sales and technical support
- Parts packaged in contractor-friendly sized bags
- High-quality control standards for superior fit and finish



## Innovative HVAC-R Products That Exceed Expectations.

We began our journey looking for the best ACR copper fitting and we engineered a design that now exceeds industry standards. We maintain the same high-quality standards and performance expectations with our filter driers, refrigeration ball valves, and other HVAC and refrigeration products.

**Learn more about our high-quality products with zero reported failures at [ndlinc.com](http://ndlinc.com).**



Explore our full line of high-quality HVAC-R and plumbing products.

[ndlinc.com](http://ndlinc.com) | 1-866-635-6888 | [sales@ndlinc.com](mailto:sales@ndlinc.com)

@ndlindustries

